



Company Name: Ecobath Trading Ltd

Trading Name: Eco Bathroom Solutions

2C Greenmount Dr, East Tamaki, Auckland 2013

Phone: +64 9 2711456

Email: ecobath@hotmail.com

## Ecobath Freestanding Baths BPIR Declaration

Version: Nov 2024

---

Designated building product: Class 1

---

### Declaration

Ecobath Trading Limited has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

### Product/System

Name: Ecobath Freestanding Baths

Identifier: D-8317-170, D-8356-170, D-8356-150

### Description

Ecobath Freestanding baths are intended for personal bathing in residential & commercial applications. The freestanding baths are manufactured in vacuum formed white Sanitary Grade Acrylic, fully reinforced with fiberglass & adjustable feet underneath for easy installation. Sanitary Grade Acrylic features a high gloss surface for ease of cleaning.

### Scope of Use

For interior installations in residential & commercial buildings. Back to wall models D-8356-150 & D-8356-170 baths must be installed to one wall, while D-8317-170 can be free standing from all walls. Freestanding Baths cannot be installed as shower-over-baths. Waste / drain holes are at different positions please refer to individual model spec. These baths do have an integrated overflow.

## Condition of Use

The bath must be installed in accordance with our supplied instructions & the relevant requirements of AS/NZS 3500. Ensure that the floor is constructed to support the weight of the bath, full water capacity & the user(s). The tapware & waste must be installed by a Registered Plumber. The maximum temperature of water at the bath outlet is 50 degrees Celsius.

## Relevant Building Code

B2 Durability — B2.3.1 (c)

F2 Hazardous building materials — F2.3.1

G1 Personal Hygiene — G1.3.2

G12 Water Supplies — G12.3.2

## Statement of Contributions to Compliance

B2.3.1(c):

Per B2/AS1, Durability Requirements of Nominated Building Elements for Plumbing Fixtures, Ecobath Freestanding Baths have a durability of at least 3 years, when installed and maintained in accordance with our supplied instructions.

F2.3.1:

No materials used in the construction of Ecobath freestanding baths give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

G1.3.2:

The Sanitary Grade Acrylic used features a high gloss surface for ease of cleaning.

G12.3.5:

Ecobath Freestanding Baths must be provided with hot water to satisfy the intended usage of personal bathing (note - tapware not included).

## Supporting documentation

The following additional documentation supports the above statements:

Installation Instructions	Refer website.
Warranty statement(s)	Refer website.
Care & maintenance guide	Refer website.

For further information supporting Ecobath Freestanding Baths claims refer to our website.

## Contact Details

Manufacture Location	China
Manufacturer	Ecobath Trading Ltd Approved Manufacture
Legal and trading name of importer	Ecobath Trading Ltd
Address for Service	2C Greenmount Drive, East Tamaki, Auckland, 2013
Importer website	<a href="https://www.ecobath.co.nz/">https://www.ecobath.co.nz/</a>
Importer email	<a href="mailto:ecobath@hotmail.com">ecobath@hotmail.com</a>
Importer phone number	09 27 11 456
Importer NZBN	9429031632164