



Company Name: Ecobath Trading Ltd

Trading Name: Eco Bathroom Solutions

2C Greenmount Dr, East Tamaki, Auckland 2013

Phone: +64 9 2711456

Email: ecobath@hotmail.com

Ecobath Shower Tray BPIR Declaration

Version 2025

Designated building product: Class 1

Declaration

Ecobath Trading Ltd has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

Product/system

Name: Ecobath Shower Tray

Identifier: RS04, SS, DS, FBF, F Series

Description

The shower tray is made from ABS fiberglass, features a 70mm high continuous 30mm upstands to be installed against a wall. Sanitary Grade Acrylic features a high gloss surface for ease of cleaning.

The surface of the shower tray is thoughtfully designed with a non-slip texture, ensuring a secure and safe showering experience, with transparent protective film.

Square 2 sides upstand sizes: 900x900, 1000x1000

Round 2 sides upstand sizes: 800x800, 900x900, 1000x1000

Angle 2 sides upstand sizes: 900x900, 1000x1000

Square/Rectangle 4 sides upstand sizes: 800x800, 900x900, 1000x800, 1000x1000, 900x750, 900x800, 1000x900, 1100x750, 1200x800, 1200x900, 1200x1000

All sizes are nominal, and specific availability varies according to the choose range.

Scope of Use

For interior installations in residential buildings, with timber or concrete flooring.

Install as a complete Acrylic Shower Enclosure (comprising Acrylic Shower Tray, Shower Liner & Shower Door or return if applicable).

Waste / drain holes are in the center or corner of Ecobath Shower Trays and must be fitted with the Hi Flow Waste which has standard DN40 waste outlets. Hot water must be supplied to this sanitary fixture via adjacent tapware.

Condition of Use

Ecobath Shower Trays must be installed and maintained in accordance with our supplied instructions, and must be fully supported and installed level. The substrate must not have been previously plastered, sealed or painted.

Special attention must be paid to the specific requirement for each joint - please refer to the installation instructions for further information.

The tapware & waste must be installed by a Registered Plumber. The maximum permitted temperature of water at the shower outlet is 50 degrees Celsius.

Relevant Building Code

B2 Durability — B2.3.1 (c)

E3 Internal moisture — E3.3.5, E3.3.6

F2 Hazardous building materials — F2.3.1, F2.3.3

G1 Personal Hygiene — G1.3.2 G12

G13 Foul Water

Statement of Contributions to Compliance

B2 Durability	Ecobath Shower Trays have a durability of at least 3 years, when installed and maintained in accordance with our supplied instructions.
E3 Internal moisture	Surfaces of this product are likely to be splashed or become contaminated during the intended use of the building, it's impervious and easily cleaned. The trays are made from ABS fiberglass and particles board, and are constructed with 70mm profile continuous with 20mm molded upstand on each side to be installed against a wall.
F2 Hazardous building materials	This product is constructed of materials that will not emit harmful concentrations of substances from exposed surfaces.
G1 Personal Hygiene	Ecobath Shower Tray must be provided with hot water to satisfy the intended usage of personal bathing (note - tapware not included).

G13 Foul Water	when water-borne disposal is used. This product is a sanitary fixture constructed and designed to be installed that facilitates sanitation and allow effective cleaning.
-----------------------	--

Supporting Documents

The following additional documentation supports the above statements:

Installation Instructions	Refer website.
Warranty statement(s)	Refer website.
Care & maintenance guide	Refer website.

For further information supporting Ecobath Shower Liner claims refer to our website.

Contact Details

Manufacture Location	China
Manufacturer	Ecobath Trading Ltd Approved Manufacture
Legal and trading name of importer	Ecobath Trading Ltd
Address for Service	2C Greenmount Drive, East Tamaki, Auckland, 2013
Importer website	https://www.ecobath.co.nz/
Importer email	ecobath@hotmail.com
Importer phone number	09 27 11 456
Importer NZBN	9429031632164