



Company Name: Ecobath Trading Ltd

Trading Name: Eco Bathroom Solutions

2C Greenmount Dr, East Tamaki, Auckland 2013

Phone: +64 9 2711456

Email: ecobath@hotmail.com

Ecobath Vanities BPIR Declaration

Version: Nov 2025

Designated building product: Class 1

Declaration

Ecobath Trading Limited has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

Product/System

Name: Ecobath Vanities

Identifier: MILA, LOLA, GINA, VILLA, STELLA, EVA, ZARA, RAE, JACOB, BREEZE, VERA, ROMA, MINI

Description

At Eco Bathroom Solutions (Ecobath), we specialize in waterproof plywood vanities, offering a diverse range of more than 10 plywood vanity models to suit every bathroom style and layout. Our collection includes floor standing vanities for a classic look, free-standing designs for flexibility, and wall-hung and floating vanities for a sleek, minimalist appearance. Measurements from 400mm, 500mm, 600mm, 750mm, 900mm, 1200mm & 1500mm, and slimline versions. Timber veneer, wood grain laminated or painted finishes offer diverse styles & colors. Ceramic, porcelain, poly marble basins, and countertop/ sit on top basins on engineered stone benchtops are available.

Scope of Use

Ecobath Vanities are intended for interior installation of bathrooms in residential & commercial buildings.

Condition of Use

Wall hung models must be fixed to two nogs / studs in the wall. The vanity top must be sealed to the top of the cabinet per the instructions. The vanity top & cabinet must be sealed to the wall per the instructions. The tapware & waste must be installed by a Registered Plumber. The maximum temperature of water at the bath outlet is 50 degrees Celsius.

Relevant Building Code

B2 Durability — B2.3.1 (c)

F2 Hazardous building materials — F2.3.1

G1 Personal Hygiene — G1.3.2

G12 Water Supplies — G12.3.2

Statement of Contributions to Compliance

B2.3.1(c):

Per B2/AS1, Durability Requirements of Nominated Building Elements for Plumbing Fixtures, Ecobath Vanities have a durability of at least 3 years, when installed and maintained in accordance with our supplied instructions.

F2.3.1:

No materials used in the construction of Ecobath Vanities give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

G1/AS1 2.6.1:

Ecobath Vanity Tops comply with the relevant requirements of AS/NZS 1730 (Washbasins).

G12.3.5:

Ecobath Vanities must be provided with hot water to satisfy the intended usage of personal washing (note - tapware not included).

Supporting documentation

The following additional documentation supports the above statements:

Installation Instructions	Refer website.
Warranty statement(s)	Refer website.
Care & maintenance guide	Refer website.

For further information supporting Ecobath Vanity claims refer to our website.

Contact Details

Manufacture Location	China
Manufacturer	Ecobath Trading Ltd Approved Manufacture
Legal and trading name of importer	Ecobath Trading Ltd
Address for Service	2C Greenmount Drive, East Tamaki, Auckland, 2013
Importer website	https://www.ecobath.co.nz/
Importer email	ecobath@hotmail.com
Importer phone number	09 27 11 456
Importer NZBN	9429031632164