



Company Name: Ecobath Trading Ltd

Trading Name: Eco Bathroom Solutions

2C Greenmount Dr, East Tamaki, Auckland 2013

Phone: +64 9 2711456

Email: ecobath@hotmail.com

Ecobath Ceramic Basins BPIR Declaration

Version 2025

Designated building product: Class 1

Declaration

Ecobath Trading Ltd has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

Product/system

Name: [Ecobath Ceramic Basins](#)

Identifier: Wash basin/Vanity basin/Countertop basin

Description

Crafted from high-quality ceramic for durability and elegance.

The basin's design is specifically crafted to highlight and complement the beauty of a countertop, creating a seamless and stylish integration in any bathroom setting.

Vanity Basin sizes: 600x400, 600x460, 700x460, 900x460, 1200x460 single, 1200x460 double, 1500x460 single, 1500x460 double

Counter top models: A353, A022, 420C, 420B, 420A, 402, 345B, 345A, 342, 335, 334, 1123, 0652, A003, BW22-039, A257B, KY311B, KY183, K114, A430, 8405, 883, A028, 021B, 413, 416, 048B, 025W, 025, 021, 016, KY410, 342A, 356, 402, 6005, 226, 207, 512, BW21-001

Wash basin models: SC0001, 108, DWU004, 9339, 2947, 3319, 3309

All sizes are nominal, and specific availability varies according to the choose range.

Scope of Use

For interior installations in residential and commercial buildings, with timber or concrete walls.

The basin pop-up waste features a standard 32mm outlet size, specifically designed for ceramic basins to ensure efficient drainage and functionality.

Condition of Use

Ecobath Bathroom basin must be installed and maintained in accordance with our supplied instructions.

The tapware & waste must be installed by a Registered Plumber.

Relevant Building Code

B2 Durability — B2.3.1 (c)

E3 Internal moisture — E3.3.5, E3.3.6

F2 Hazardous building materials — F2.3.1, F2.3.3

G1 Personal Hygiene — G1.3.2 G12

G13 Foul Water

Statement of Contributions to Compliance

B2 Durability	Ecobath Ceramic Basins have a durability of at least 3 years, when installed and maintained in accordance with our supplied instructions, is easy to access and replace, and failure would be easily detected during normal use.
E3 Internal moisture	Surfaces of this product are likely to be splashed or become contaminated during the intended use of the building, it's impervious and easily cleaned. The basin pop-up waste features a standard 32mm outlet size, specifically designed for ceramic basins to ensure efficient drainage and functionality.
F2 Hazardous building materials	This product is constructed of materials that will not emit harmful concentrations of substances from exposed surfaces.
G1 Personal Hygiene	Ecobath Ceramic Basins features a high gloss surface for hygiene and ease of cleaning. This product is a sanitary fixture constructed and designed to be installed to discharge to a plumbing and drainage system as required by G13 "Foul Water"
G13 Foul Water	when water-borne disposal is used. This product is a sanitary fixture constructed and designed to be installed that facilitates sanitation. This product is sanitary fixture constructed and designed to be installed to allow effective cleaning.

Supporting Documents

The following additional documentation supports the above statements:

Installation Instructions	Refer website.
Warranty statement(s)	Refer website.
Care & maintenance guide	Refer website.

For further information supporting Ecobath Shower Liner claims refer to our website.

Contact Details

Manufacture Location	China
Manufacturer	Ecobath Trading Ltd Approved Manufacture
Legal and trading name of importer	Ecobath Trading Ltd
Address for Service	2C Greenmount Drive, East Tamaki, Auckland, 2013
Importer website	https://www.ecobath.co.nz/
Importer email	ecobath@hotmail.com
Importer phone number	09 27 11 456
Importer NZBN	9429031632164